

Factory Street Site

Soil removal starts in January

Ang paghuhukay at pagtanggal ng lupa ay magsisimula sa Enero Grugi ti panagkali ken panagikkat iti daga intono Enero

The U.S. Environmental Protection Agency plans to begin the removal of lead-contaminated soil under Factory Street the week of January 20, 2020. Work is scheduled from Monday to Saturday, 6:30 a.m. to 6:00 p.m. and should take 5–7 weeks to complete. This work will impact Factory Street between King Street and Waterhouse Street. Parts of the street will be closed to parking, and you should expect slight disruptions to your schedule.

Plano ng U.S. Environmental Protection Agency na umpisahan ang paghuhukay at pagtanggal ng lupang kontaminado ng “lead” sa may Factory Street sa linggo ng Enero 20, 2020. Ang trabaho ay mangyayari mula Lunes hanggang Sabado, 6:30 a.m. hanggang 6:00 p.m. at matatapos ito sa loob ng 5–7 na linggo. Nang dahil sa trabaho, maaapektuhan ang Factory Street na nasa gitna ng King Street at Waterhouse Street. Bawal pumarada sa ilang bahagi ng kalsada, at asahang magkakaroon ng kaunting abala sa iyong mga iskedyul.

Plano ti U.S. Environmental Protection Agency nga ruggian ti panagkali ken panagikkat ti daga a kontaminado ti “lead” idia Factory Street intono lawas ti Enero 20, 2020. Ti trabaho ket agrugi iti Lunes agingga Sabado, 6:30 a.m. agingga 6:00 p.m. ken malpas daytoy iti uneg ti 5–7 a domingo. Gapu iti dayta a trabaho, maaapektuan ti Factory Street nga adda iti nagbaetan ti King Street ken Waterhouse Street. Maipariti ti agparada iti sumagmamano a paset ti kalsada, ken namnamaen ti bassit a pannakataktak ti iskedyul mo.

For questions or concerns, please contact Amanda Pease at (415) 301–1503 or pease.amanda@epa.gov.

For more information and project updates: <https://response.epa.gov/FactoryStreet>.

United States Environmental Protection Agency, Region 9
75 Hawthorne Street (OPA-2)
San Francisco, CA 94105
Attn: Yolanda Sanchez (Factory Street Site 1/20)

Official Business
Penalty for Private Use, \$300

Address Service Requested

FIRST-CLASS MAIL
POSTAGE & FEES

PAID

U.S. EPA
Permit No. G-35