

Report for:

**Lawrence Burns**  
**Tetra Tech: SA-Region 8**  
1560 Broadway  
Suite 1400  
Denver, CO 80202

---

Regarding: Project: Selfridge Abandoned Buildings  
EML ID: 2785834

Approved by:

Dates of Analysis:  
Asbestos PLM: 11-17-2021



Approved Signatory  
Amber Rutter

Service SOPs: Asbestos PLM (EPA 40CFR App E to Sub E of Part 763 & EPA METHOD 600/R-93-116, SOP EM-AS-S-1267)  
NVLAP Lab Code 500053-0

---

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. The results relate only to the samples as received and tested. The results include an inherent uncertainty of measurement associated with estimating percentages by polarized light microscopy. Measurement uncertainty data for sample results with >1% asbestos concentration can be provided when requested.

Eurofins EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Client: Tetra Tech: SA-Region 8  
 C/O: Lawrence Burns  
 Re: Selfridge Abandoned Buildings

Date of Receipt: 11-12-2021  
 Date of Report: 11-17-2021

**ASBESTOS PLM REPORT**

<b>Total Samples Submitted:</b>	18
<b>Total Samples Analyzed:</b>	18
<b>Total Samples with Layer Asbestos Content &gt; 1%:</b>	9

**Location: S-I-DWJC-01, Drywall and joint compound**

Lab ID-Version‡: 13335050-1

Sample Layers	Asbestos Content
White Drywall with Brown Paper	ND
Off-White Joint Compound	2% Chrysotile
<b>Composite Asbestos Fibrous Content:</b>	< 1% Asbestos
<b>Composite Non-Asbestos Content:</b>	10% Cellulose
<b>Sample Composite Homogeneity:</b>	Moderate

**Comments:** Composite content provided for this analysis has been performed by following the NESHAP guidelines.

**Location: S-I-ST01, Stucco**

Lab ID-Version‡: 13335051-1

Sample Layers	Asbestos Content
White Stucco	ND
<b>Sample Composite Homogeneity:</b>	Good

**Location: S-I-RT01, Roof tar**

Lab ID-Version‡: 13335052-1

Sample Layers	Asbestos Content
Black Roofing Tar and Felt	10% Chrysotile
<b>Sample Composite Homogeneity:</b>	Moderate

**Location: S-I-RF01, Roof felt**

Lab ID-Version‡: 13335053-1

Sample Layers	Asbestos Content
Black Roofing Felt	ND
<b>Composite Non-Asbestos Content:</b>	55% Cellulose
<b>Sample Composite Homogeneity:</b>	Good

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by any agency of the federal government. Eurofins EMLab P&K reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Tetra Tech: SA-Region 8  
 C/O: Lawrence Burns  
 Re: Selfridge Abandoned Buildings

Date of Receipt: 11-12-2021  
 Date of Report: 11-17-2021

**ASBESTOS PLM REPORT**

**Location: S-A-FT01, Floor tile**

Lab ID-Version‡: 13335054-1

Sample Layers	Asbestos Content
Beige Floor Tile	ND
Black Mastic	10% Chrysotile
<b>Sample Composite Homogeneity:</b> Moderate	

**Location: S-A-DW01, Drywall**

Lab ID-Version‡: 13335055-1

Sample Layers	Asbestos Content
White Drywall with Brown Paper	ND
Off-White Compound	2% Chrysotile
<b>Composite Non-Asbestos Content:</b>	10% Cellulose
<b>Sample Composite Homogeneity:</b> Moderate	

**Location: S-M-SF01, Sheet flooring**

Lab ID-Version‡: 13335056-1

Sample Layers	Asbestos Content
Yellow Sheet Flooring with Fibrous Backing	20% Chrysotile
<b>Composite Non-Asbestos Content:</b>	10% Cellulose
<b>Sample Composite Homogeneity:</b> Good	

**Location: S-M-FT01, Floor tile**

Lab ID-Version‡: 13335057-1

Sample Layers	Asbestos Content
Brown Floor Tile	2% Chrysotile
Yellow Mastic	ND
<b>Sample Composite Homogeneity:</b> Moderate	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by any agency of the federal government. Eurofins EMLab P&K reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Tetra Tech: SA-Region 8  
 C/O: Lawrence Burns  
 Re: Selfridge Abandoned Buildings

Date of Receipt: 11-12-2021  
 Date of Report: 11-17-2021

**ASBESTOS PLM REPORT**

**Location: S-M-FT02, Floor tile**

Lab ID-Version‡: 13335058-1

Sample Layers	Asbestos Content
Yellow Mastic	ND
Red Floor Tile	2% Chrysotile
Semi-Transparent Mastic	ND
<b>Sample Composite Homogeneity:</b> Poor	

**Location: S-M-FT03, Floor tile**

Lab ID-Version‡: 13335059-1

Sample Layers	Asbestos Content
Brown Floor Tile	2% Chrysotile
Yellow Mastic	ND
<b>Sample Composite Homogeneity:</b> Moderate	

**Location: S-L-RT01, Roofing tar**

Lab ID-Version‡: 13335060-1

Sample Layers	Asbestos Content
Multicolored Roofing Tar	5% Chrysotile
<b>Sample Composite Homogeneity:</b> Moderate	

**Location: S-L-PL02, Plaster**

Lab ID-Version‡: 13335061-1

Sample Layers	Asbestos Content
Gray Plaster	ND
<b>Sample Composite Homogeneity:</b> Good	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by any agency of the federal government. Eurofins EMLab P&K reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Tetra Tech: SA-Region 8  
 C/O: Lawrence Burns  
 Re: Selfridge Abandoned Buildings

Date of Receipt: 11-12-2021  
 Date of Report: 11-17-2021

**ASBESTOS PLM REPORT**

**Location: S-L-ST01, Stucco**

Lab ID-Version‡: 13335062-1

Sample Layers	Asbestos Content
Gray Stucco	ND
<b>Sample Composite Homogeneity:</b> Good	

**Location: S-L-BM01, Brick and mortar**

Lab ID-Version‡: 13335063-1

Sample Layers	Asbestos Content
Gray Mortar	ND
<b>Sample Composite Homogeneity:</b> Good	

**Location: S-L-BM02, Brick and mortar**

Lab ID-Version‡: 13335064-1

Sample Layers	Asbestos Content
Gray Mortar	ND
<b>Sample Composite Homogeneity:</b> Good	

**Location: S-L-BM03, Brick and mortar**

Lab ID-Version‡: 13335065-1

Sample Layers	Asbestos Content
Gray Mortar	ND
<b>Sample Composite Homogeneity:</b> Good	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by any agency of the federal government. Eurofins EMLab P&K reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: Tetra Tech: SA-Region 8  
 C/O: Lawrence Burns  
 Re: Selfridge Abandoned Buildings

Date of Receipt: 11-12-2021  
 Date of Report: 11-17-2021

**ASBESTOS PLM REPORT**

**Location: S-L-PL01, Plaster**

Lab ID-Version‡: 13335066-1

Sample Layers	Asbestos Content
Gray Plaster	ND
<b>Sample Composite Homogeneity:</b> Good	

**Location: S-L-WM01, Wall mastic**

Lab ID-Version‡: 13335067-1

Sample Layers	Asbestos Content
Black Mastic	ND
<b>Sample Composite Homogeneity:</b> Good	

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by any agency of the federal government. Eurofins EMLab P&K reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

Inhomogeneous samples are separated into homogeneous subsamples and analyzed individually. ND means no fibers were detected. When detected, the minimum detection and reporting limit is less than 1% unless point counting is performed. Floor tile samples may contain large amounts of interference material and it is recommended that the sample be analyzed by gravimetric point count analysis to lower the detection limit and to aid in asbestos identification.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".